



www.trcparks.ro

TRC PARK TIMIŞOARA

Optimum locational advantages


Located in Giarmata, Timiş County, just minutes away from the A1 highway

Ideal conditions for domestic and international distribution

Accommodation

All areas are approximated on BOMA standards

	Unit	Warehouse space (sqm)	Office space (sqm)	Total rentable area (sqm)
T1	1	12591.14	432	13023.14
	Unit	Warehouse space (sqm)	Office space (sqm)	Total rentable area (sqm)
T2	1	5177.35	288	5465.35



Unit	Warehouse space (sqm)	Office space (sqm)	Total rentable area (sqm)
1	832.02	118.86	955.34
2	818.51	127.21	950.18
3	802.14	127.21	933.81
4	818.51	127.21	950.18
5	802.14	127.21	933.18
6	818.51	127.21	950.18



TECHNICAL SPECIFICATIONS

Units T1+T2+T3

Structural system: 12 x 24 m

Clear height 6-12 m(5 m for showroom area)

Imposed load on floors: 3.5-4 tons/sqm

Drive-In and loading docks: 1pc/every 800 sqm

Edge walls made of sandwhich panels having a thickness of 100 mm

Precast concrete wall panels(for docking areas)

Industrial sectional doors

Sprinkler system to be provided according to Romanian norms and regulations

Industrial lighting system with LED

OFFICE AREA

FLOORS

Reinforced concrete

Tarket and ceramic tiles depending on the area

PARTITION WALLS

Drywall partition system with white washable finish

MDF(Medium Density Fiberboard) interior

CEILING

Clear height 2.7 m

LIGHTING SYSTEM

60 x 60 cm recessed LED panel lights

Emergency escape lighting system on escape routes

500 LUX for office areas

250 LUX for hallways and staircases

150 LUX for sanitary areas

HEATING SYSTEM

Multi-split cooling system

Electrical hot water boilers

Destratification fans on gas

OUTER SITE

Green areas and water supply according to local norms and regulations

Parking lot(according to project drawings)

LED outer lighting system with a 10 LUX illumination level measured at 10m away from the unit

SHOWROOM

Total rentable area: 5360 m²

Structural system: 12 x 24 m

Clear height: 5 m

Imposed load on floors: 3.5 tons/ m²

Flatness tolerance: 3mm/2m

Sprinkler system to be provided according to Romanian norms and regulations

STRUCTURAL SYSTEM

Reinforced Concrete and Structural Steel

Dimensions as per project drawings

WALLS

Edge walls made of sandwich panels having a thickness of 100mm

ROOF

Sandwich panels with corrugated steel sheets and rock wool insulation

Roofing membrane warranty period of 15 years

Smoke hatches/outlets according to national norms and regulations

FLOORS

Imposed load of 3.5 tons / m²

Polished concrete flooring

Flatness tolerance of 3mm below 2 m, below the 2 m bar

FIRE DETECTION SYSTEM

Fire alarm with central unit and control panel

Overground valve hydrants on the perimeter of the unit

Sprinkler system with normal fire sprinkler heads

OFFICE AREAS

FLOOR

Floors: reinforced concrete

Tarket and ceramic tiles depending on the

PARTITION WALL SPECIFICATIONS

Drywall partition system with white washable finish

MDF (Medium Density Fiberboard) interior doors

CEILING

Clear height of 2.7 m

Mineral fibre acoustic ceilings

LIGHTING SYSTEM

60 x 60 cm recessed LED panel lights

Emergency escape lighting system on escape routes

500 lux for office areas

250 lux for hallways and staircases

150 lux for sanitary areas

HVAC SYSTEMS

Multi-split cooling system

Heat electric radiators

Hot water electric boilers



Units T1+T2+T3

Class A specifications

TRC Park Timisoara offers a range of brand new units built to Class A specifications available individually or combined.



Terms

Available for lease on terms to be agreed



Sustainability

Efficient and sustainable warehouses right from the start.
Using the latest solutions to reduce our CO2 footprint and
reach carbon neutral operations by 2030.

Sustainability initiatives will include:

Electric vehicle charging points

Photovoltaic nanels on some uni

High performance insulated sandwich panels and

· Hign performance insulated sandwich panels ar roof materia

BREEAM Target "Very Good"LED Iluminating





TRC PARK TIMIŞOARA





Travel Distances



A1 Highway	5min (4km)		
Timisoara City Center	24min (12.5 km)		
Arad City-centre	32min (45km)		
Lugoj	42min (64.7km)		
Deva	1h 34 min (148km)		



Traian Vuia International Airport Timisoara

11min (8km)





Sales Department

Get in touch with us!

vanzari@transilvaniaconstructii.ro

Mobile: 0790 107 007

47 Tăietura Turcului, Office Building Novis Plaza, 3rd floor, Cluj-Napoca, Cluj-County 400285, Romania

Developer:



www.trcparks.ro/en